



**INFORMATICS
INSTITUTE OF
TECHNOLOGY**

INFORMATICS INSTITUTE OF TECHNOLOGY

In Collaboration with

UNIVERSITY OF WESTMINSTER

Emotion Recognition System For Psychiatrist Hospitals.

Key Words – Machine Learning, Adversarial Machine Learning

A Project Proposal by

Mr. W.G Kavindu Dilanka

W1742259- 2018589

Supervised by

Ms. Dileeka Alwis

Submitted in partial fulfilment of the requirements for the BEng (Hons) Software Engineering degree at the University of Westminster.

April 2023

ABSTRACT

A Psychiatrist Hospital is where the psychological patients are able to get the proper treatments for their mental disorders and get recovered, with the aid of experienced Psychiatrists and nurses. Their primary responsibility is to handle the patients with mental disorders by diagnosing the patients' disorders through their emotions.

This diagnosing process may be broken down into four major parts. First, the Psychiatrists are used to identify the key human emotions of the patient who is suffering from the mental disorder. There are numerous ways to do this identification but it may varied from one Psychiatrist to another. Widely used methods for this process are, having conversation with the patient, checking blood pressure, and having a deep examination in their facial expressions. Second, the Psychiatrists then analyze the emotions they have identified. Third, the Psychiatrists try to diagnose the disorder through the analysis of the emotions. Fourth and the last, they predict relevant medical treatments for the patients and examine whether their recovery process is going right. This is an explanation of how a Psychiatrist handles a psychological patient.

This study investigates the role of the Psychiatrist during the emotion identification process and how this first step affects the whole diagnose procedure as there is a risk, if they unable to identify the correct emotions. Further, this is a challenging task for both experienced and less-experienced Psychiatrists for the whole procedure depends on this emotional recognition and these are some of the topics we discussed.

As previously explained, this study examines the role of Psychiatrists in emotion recognition of psychological patients. Thus this investigation came across with some explanations. There is more than 50% probability to misdiagnose most of the mental disorders including the dangerous disorders such as Bipolar disorder, Depression and Anxiety disorder. This happens mainly due to the inability of recognizing the emotions of the patient correctly. Another explanation is that this will become more dangerous when it comes to a less-experienced Psychiatrist. In this case, patients have to put their lives at a high risk.

According to the research discussed above, the Psychiatrist's flaws in emotional recognition are causing patients to jeopardy their lives day by day. As previously stated, the fundamental issue in

this procedure is the inability to identify the emotions of the patients. To puzzle out the patient's position, the Psychiatrists must be able to comprehend the patient's emotions. The Psychiatrists are extremely busy, and stressed as they work with a wide array of mental disorders and patients in number of varied disorders. In this scenario, it is easy to Psychiatrist to miss an emotion of a patient even a very noticeable one and do a misdiagnosis for they are stressed.

This study proposes Psychological Patient Speech Emotion Recognition for Psychological hospitals as a solution to this challenge. Then, when conversing with patients, the Psychiatrists would be able to catch the missed sentiments of the patients.